

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/839,803	04/20/2001	Adrian Lungu	IM1303 US NA	2560
23906	7590 10/04/2005		EXAMINER	
E I DU PONT DE NEMOURS AND COMPANY			WALKE, AMANDA C	
	TENT RECORDS CENTER		ART UNIT	PAPER NUMBER .
	ILL PLAZA 25/1128		ARI UNII	PAPER NUMBER .
	ASTER PIKE		1752	
WILMINGT	ON, DE 19805		DATE MAILED: 10/04/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

.	}		ム /
	Application No.	Applicant(s)	
	09/839,803	LUNGU, ADRIAN	
Office Action Summary	Examiner	Art Unit	
	Amanda C. Walke	1752	
The MAILING DATE of this communication ap Period for Reply	ppears on the cover sheet w	th the correspondence address	
A SHORTENED STATUTORY PERIOD FOR REP THE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a re - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the maili earned patent term adjustment. See 37 CFR 1.704(b).	.136(a). In no event, however, may a r ply within the statutory minimum of thin d will apply and will expire SIX (6) MON te, cause the application to become AE	eply be timely filed by (30) days will be considered timely. THS from the mailing date of this communications ANDONED (35 U.S.C. § 133).	cation.
Status			
1) Responsive to communication(s) filed on 021	May 2005.		
	is action is non-final.		
3) Since this application is in condition for allow closed in accordance with the practice under	•	• •	ts is
Disposition of Claims			
4) ☐ Claim(s) 1,3-19 and 31-33 is/are pending in t 4a) Of the above claim(s) is/are withdres 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1,3-19 and 31-33 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/	awn from consideration.		
Application Papers			
9)☐ The specification is objected to by the Examir	ner.		
10)☐ The drawing(s) filed on is/are: a)☐ ac	cepted or b) objected to	by the Examiner.	
Applicant may not request that any objection to the	• ,	, ,	
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	· -	• • •	· ·
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the pri application from the International Bures * See the attached detailed Office action for a list	nts have been received. nts have been received in A ority documents have been au (PCT Rule 17.2(a)).	pplication No received in this National Stage	
Attachment(s)		(DTO 442)	
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)		Summary (PTO-413) s)/Mail Date	
Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date	5) ☐ Notice of It 6) ☐ Other:	nformal Patent Application (PTO-152)	

Application/Control Number: 09/839,803 Page 2

Art Unit: 1752

DETAILED ACTION

This action serves to replace the office action of 7/24/2005, and the response time has been restarted.

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1, 3-19, 31, 32, and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cushner et al (5,798,202) in view of Marshall et al (5,441,850), Grasshoff et al (5,445,917), or Gaudiana et al (6,004,719).

Cushner et al close a flexographic printing plate prepared from a

- a) a flexible support; and
- (b) a laser engravable, reinforced elastomeric layer wherein said layer has been singly reinforced mechanically or thermochemically or multiply reinforced mechanically and photochemically, mechanically and thermochemically, or photochemically and thermochemically provided that thermochemical reinforcement is accomplished using a crosslinker other than sulfur, a sulfur containing moiety, or peroxide. These elastomeric materials can be used to particular advantage in the formation of seamless, continuous printing elements. The flat sheet elements can be reprocessed by wrapping the element around a cylindrical form, usually a printing sleeve or the printing cylinder itself, and fusing the edges together to form a seamless, continuous element.

Art Unit: 1752

Such fusion is not possible with rubber plates because the vulcanized rubber is irreversibly crosslinked and, thus, cannot dissolve or melt unless the network structure is destroyed. These continuous printing elements have applications in the flexographic printing of continuous designs such as in wallpaper, decoration and gift wrapping paper. Furthermore, such continuous printing elements are well-suited for mounting on conventional laser engraving equipment. The sleeve or cylinder on which the printing element is wrapped when the edges are fused, can be mounted directly into the laser engraving apparatus where it functions as the rotating drum during the engraving process. Unless otherwise indicated, the term "single layer, laser engravable flexographic element" encompasses plates or elements in any form suitable for flexographic printing, including, but not limited to, flat sheets and seamless continuous forms. Another advantage in working with the process and single layer, laser engravable flexographic printing elements of the invention is that the noxious odors associated with conventional rubber plates are minimized during laser engraving. An advantage of the single layer elements of the invention is that they possess dimensional stability due to the presence of a flexible support. The process and elements of the invention are made from elastomeric materials which can be reinforced using at least one type of reinforcement selected from the group consisting of mechanical, photochemical, and thermochemical reinforcement, or a combination thereof, provided that thermochemical reinforcement is accomplished using a crosslinker other than sulfur, a sulfur-containing moiety or peroxide, to produce an elastomeric layer suitable for laser engraving as is described below. Such reinforcement is a very important factor in utilizing the process and single layer, laser engravable <u>flexographic</u> printing elements of the invention. Photochemical reinforcement is accomplished by incorporating photohardenable materials into the elastomeric layer and

Art Unit: 1752

exposing the layer to actinic radiation. Photohardenable materials are well known and include photocrosslinkable or photopolymerizable systems, or combinations thereof. Photocrosslinking generally occurs by crosslinking a preformed polymer to form a substantially insoluble crosslinked polymeric network. This can occur either through dimerization of pendant reactive groups attached directly to the polymer chain, or reaction of the polymer with a separate polyfunctional photoactive crosslinking agent. Photopolymerization generally occurs when relatively low molecular weight monomers or oligomers undergo photoinitiated cationic or free radical polymerization to form substantially insoluble polymers. In some systems, both photocrosslinking and photopolymerization can occur. Photohardenable materials which can be incorporated into an elastomer generally comprise a photoinitiator or photoinitiator system (hereinafter referred to as "photoinitiator system") and one of (i) a low molecular weight monomer or oligomer capable of undergoing polymerization, (ii) reactive groups pendant to the elastomer which are capable of reacting with each other or (iii) reactive groups pendant to the elastomer and a crosslinking agent capable of reacting with the reactive groups. The photoinitiator system is one which, upon irradiation with actinic radiation forms a species which will initiate either free radical or cationic crosslinking or polymerization reactions. By actinic radiation, it is meant high energy radiation including but not limited to UV, visible, electron beam, and X-ray. Most photoinitiator systems for free radical reactions in current use are based upon one of two mechanisms: photofragmentation and photoinduced hydrogen abstraction. Suitable photoinitiator systems of the first type include peroxides, such as benzoyl peroxide; azo compounds, such as 2,2'-azobis(butyronitrile); benzoin derivatives, such as benzoin and benzoin methyl ether; derivatives of acetophenone, such as 2,2-dimethoxy-2-phenylacetophenone;

Application/Control Number: 09/839,803

Art Unit: 1752

ketoxime esters of benzoin; triazines; and biimidazoles. Suitable photoinitiator systems of the second type include anthraquinone and a hydrogen donor, benzophenone and tertiary amines; Michler's ketone alone and with benzophenone; thioxanthones; and 3-ketocoumarins. Photoinitiator systems suitable for cationic crosslinking or polymerization reactions are those which, upon irradiation, produce a Lewis acid or a protonic Bronsted acid which is capable of initiating polymerization of ethylene oxide or epoxy derivatives. Most photoinitiator systems of this type are onium salts, such as diazonium, iodonium and sulfonium salts. Sensitizing agents can also be included with the photoinitiator systems discussed above. In general, sensitizing agents are those materials which absorb radiation at a wavelength different than that of the reaction-initiating component, and are capable of transferring the absorbed energy to that component. Thus, the wavelength of the activating radiation can be adjusted. As mentioned above, the elastomer can have pendant groups which are capable of undergoing free-radical induced or cationic crosslinking reactions. Pendant groups which are capable of undergoing freeradical induced crosslinking reactions are generally those which contain sites of ethylenic unsaturation, such as mono- and polyunsaturated alkyl groups; acrylic and methacrylic acids and esters. In some cases, the pendant crosslinking group can itself be photosensitive, as is the case with pendant cinnamoyl or N-alkyl stilbazolium groups. Pendant groups which are capable of undergoing cationic crosslinking reactions include substituted and unsubstituted epoxide and aziridine groups. An additional polyfunctional crosslinking agent can be added to react with the pendant reactive groups. Monomers undergoing free-radical polymerization are typically ethylenically unsaturated compounds. Examples of monofunctional compounds include acrylate and methacrylate esters of alcohols and their low molecular weight oligomers. Examples of

Application/Control Number: 09/839,803

Page 6

Art Unit: 1752

suitable monomers and oligomers with two or more sites of unsaturation capable of undergoing free-radical induced addition reactions include the polyacrylate and polymethacrylate esters of polyols such as triethyleneglycol, trimethylolpropane, 1,6-hexanediol, and pentaerythritol, and their low molecular weight oligomers. Esters of ethoxylated trimethyolol propane, in which each hydroxyl group has been reacted with several molecules of ethylene oxide, as well as monomers derived from bisphenol A diglycidyl ether and monomers derived from urethanes have also been used. Monomers which undergo cationic polymerization include mono- and polyfunctional epoxides and aziridines. In some cases, where there are residual reactive sites in the binder, e.g., residual unsaturation or epoxide groups, the crosslinking agent can also react with the binder.

While the reference teaches that sensitizers and other color formers may be added, the reference fails to specifically mention a leuco dye.

All of the secondary references teach imagining mediums comprising leuco dyes in combination with the specific dyes of the instant claim 6, thus teaching that these compounds, and their use in combination in imaging mediums in well known and advantageous.

Given the teachings of the secondary references et al, it would have been obvious to one of ordinary skill in the art to prepare the material of Cushner et al choosing to employ the conventional color formers of Marshall et al, Grasshoff et al, or Gaudiana et al with reasonable expectation of achieving a material having uniform thickness.

3. Claims 1, 3-19, 31, 32, and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Araki et al (JP 59-211036 in view of its English language abstract) in view of applicant's admission.

Araki et al disclose a photopolymerizable image forming composition comprising a reducing dye, a photoacid generator, a binder, a photopolymerizable monomer, and an initiator. Based on a spot translation by a PTO staff member, it appears that the reference meets the instant claim limitations with the exception of the elastomeric binder, but the reference teaches that any suitable known binder may be employed.

In the background of the instant specification, applicant admits that it is known that the photopolymerizable composition of flexographic plates "generally comprise an elastomeric binder", thus admitting that it is well known in the art for a photopolymerizable composition used in manufacturing a flexographic plate employ an elastomeric binder.

It would have been obvious to one of ordinary skill in the art to prepare the material of Araki et al choosing to employ an elastomeric binder as taught to be conventional by applicant, with reasonable expectation of achieving a material having superior work efficiency.

A full translation of Araki et al is forthcoming.

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Cushner et al (5,804,353) and Decker et al (Journal article) are cited as teachings similar materials.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amanda C. Walke whose telephone number is 571-272-1337. The examiner can normally be reached on M-R 5:30-4.

Art Unit: 1752

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cynthia Kelly can be reached on 571-272-1526. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Amanda C Walke

Page 8

Examiner Art Unit 1752

ACW August 11, 2005